

Space Dome Camera



Space Dome Camera

XC20F01W

Xper XC20F01W produces reach & bright colours with high contrast ratio. Extremely high resolution picture enables the user to identify each & every detail. The Camera offers aesthetically brilliant design to match the user interior.

SALIENT FEATURES

- 1/3" Color Sony Exview HAD II CCD
- Sony Effio-E high sensitivity CCD sensor
- Horizontal Resolution 650 TV Lines
- Built-in 2.8~10.5mm Vari-Focal DC Lens With ICR
- Built-in 24 Pieces IR-LED (up to 20M)
- 3-Axis Mechanism for free lens rotation
- OSD interface
- CE, FCC & RoHS Certified

Specification

Lite Series

Model	XC20F01W
Image Sensor	1/3" Color Sony Exview HAD II CCD
Number of Pixels	NTSC: 976x494, PAL: 976x582
Horizontal Resolution	650 TVL
Scanning System	PAL / NTSC
Minimum Illumination	0.02 Lux @ F 1.2 (IR Off), 0 Lux (IR On)
S/N Ratio	More than 48dB
Electronic Shutter	1/50 (1/60) to / 100,000 sec.
Lens	Vari-Focal Lens (VF) : 3.7~12mm / F1.6~3.0
Gamma Correction	0.45
Auto Balance	Auto
Gain Control (AGC)	High / Low (For VF type only)
Backlight Compensation Auto	On / Off (For VF type only)
IR LEDs	24 pieces IR-LED (For L type only)
Sync. System	Internal Synchronization
Iris Mode	DC Drive for Vari Focal Lens
OSD Feature	YES
Video Output	1 Vp-p / 75 Ohms
Exposure Mode	EE
Power supply	DC12V ± 5%
Operating Temperature	-10°C~50°C
Dimension (L x W x H)	13.7 X 13.7 X 9 cm
Certifications	CE, FCC & RoHs
Note:	Product appearance & technical specifications are subject to change without any prior notice.